



NATURAL STONE PRODUCT PORTFOLIO

About CORAL GEMS

Established in 2018, Coral Gems has emerged as a leading global supplier of premium-quality marble and granite. We offer a comprehensive range of products—including blocks, slabs, strips, and precision-cut tiles—crafted to meet the highest international standards.

With a strong focus on customization, we provide a wide array of surface finishes such as polished, honed, brushed, antique, tumbled, flamed, bush-hammered, and split-face. Our commitment to quality, competitive pricing, and reliable service makes us the preferred partner for projects worldwide.

Our Mission

At Coral Gems, our mission is to set the benchmark in the global stone industry. We are dedicated to building enduring, value-driven partnerships by harnessing advanced stone processing technologies, careful packaging, and efficient international logistics. This unwavering commitment has earned us the trust of clients around the globe

Comprehensive Expertise from Quarry to Project

We manage the entire production cycle—from extraction and transport to cutting, finishing, and delivery—ensuring unmatched quality, consistency, and brilliance. Our products comply with international sizing and packing standards, facilitating smooth integration into architectural and design projects across all markets.


Our Services

- Global Export
- Export Procurement Consultancy
- Supply & Installation

SPECIAL GRANITE PRODUCT PORTFOLIO




GRANITE PRODUCT PORTFOLIO



GRANITE PRODUCT PORTFOLIO



GRANITE PRODUCT PORTFOLIO



GRANITE PRODUCT PORTFOLIO

Product types

- Slabs
- Small Slabs (Strips)
- Tiles

Surface Finishes

- POLISHED
- FLAMED



Edge Finishes

Straight Edge

½ Beveled Edge

¼ Beveled Edge

¼ Round Edge



¼ Round Edge Top & Bottom.

Half Bullnose Edge.

Demi Bullnose Edge

Full Bullnose Edge

LIMESTONE PRODUCT PORTFOLIO



CREMA CLASSICO



SINAI PEARL



BELGIUM TRUFFLE



SILVIA MENIA



SUNNY MENIA


LIMESTONE PRODUCT PORTFOLIO



SICILIAN GREY



SINAI GEM LIGHT



SINAI GEM DARK



SICILIAN BROWN

SINAI GEM – ASTM

Type Name : **SINAI GEM**

Physico-Mechanical Properties :

Absorption By Weight	0.89	(%)	ASTM C 97
Modulus Of Rupture	1900	(PSI)	ASTM C 99
Compressive Strength	19800	(PSI)	ASTM C 170
Abrasion Resistance	38.8	(ha)	ASTM C 241
Flexural Strength	1900	(PSI)	ASTM C 880

Edge Finishes

Straight Edge



½ Beveled Edge



¼ Beveled Edge




¼ Round Edge




¼ Round Edge Top & Bottom.



Half Bullnose Edge.



Demi Bullnose Edge



Full Bullnose Edge

SINAI GEM –TILES



SINAI GEM – **TILES**



SINAI GEM DARK



SINAI GEM LIGHT

SINAI GEM – **TILES**



SINAI GEM DARK – **TILES**



SINAI GEM DARK – **SLABS**



SINAI GEM DARK – SLABS



SINAI GEM LIGHT – SLABS



CREMA CLASSICO – ASTM

Type Name : **CREMA CLASSICO**

Physico-Mechanical Properties :

Absorption By Weight	0.12	(%)	ASTM C 97
Modulus Of Rupture	1800	(PSI)	ASTM C 99
Compressive Strength	18300	(PSI)	ASTM C 170
Abrasion Resistance	34.8	(ha)	ASTM C 241
Flexural Strength	1300	(PSI)	ASTM C 880

Edge Finishes

Straight Edge



½ Beveled Edge



¼ Beveled Edge



¼ Round Edge




¼ Round Edge Top & Bottom.



Half Bullnose Edge.



Demi Bullnose Edge



Full Bullnose Edge

CREMA CLASSICO –TILES



CREMA CLASSICO – **TILES**



CREMA CLASSICO – SLABS



CREMA CLASSICO – SLABS



SINAI PEARL – ASTM

Type Name : **SINAI PEARL**

Physico-Mechanical Properties :

Absorption By Weight

0.89 (%) ASTM C 97

Modulus Of Rupture

1900 (PSI) ASTM C 99

Compressive Strength

19800 (PSI) ASTM C 170

Abrasion Resistance

38.8 (ha) ASTM C 241

Flexural Strength

1900 (PSI) ASTM C 880

Edge Finishes

Straight Edge



½ Beveled Edge



¼ Beveled Edge



¼ Round Edge




¼ Round Edge Top & Bottom.



Half Bullnose Edge.



Demi Bullnose Edge



Full Bullnose Edge

SINAI PEARL – FINISHES & VARIATION



SINAI PEARL – FINISHES & VARIATION



SINAI PEARL – TILES



SINAI PEARL – SLABS



SINAI PEARL – **SLABS**



SICILIAN GREY – ASTM

Type Name : **SICILIAN GREY**

Physico-Mechanical Properties :

Absorption By Weight

0.89 (%) ASTM C 97

Modulus Of Rupture

1900 (PSI) ASTM C 99

Compressive Strength

19800 (PSI) ASTM C 170

Abrasion Resistance

38.8 (ha) ASTM C 241

Flexural Strength

1900 (PSI) ASTM C 880

Edge Finishes

Straight Edge



½ Beveled Edge



¼ Beveled Edge



¼ Round Edge




¼ Round Edge Top & Bottom.



Half Bullnose Edge.



Demi Bullnose Edge



Full Bullnose Edge

SICILIAN GREY – FINISHES & VARIATION



SICILIAN GREY – SLABS



SICILIAN GREY – SLABS



BELGIUM TRUFFLE – ASTM

Type Name : **BELGIUM TRUFFLE**

Physico-Mechanical Properties :

Absorption By Weight	1.31	(%)	ASTM C 97
Modulus Of Rupture	1600	(PSI)	ASTM C 99
Compressive Strength	15600	(PSI)	ASTM C 170
Abrasion Resistance	26.5	(ha)	ASTM C 241
Flexural Strength	1400	(PSI)	ASTM C 880

Edge Finishes

Straight Edge



½ Beveled Edge



¼ Beveled Edge



¼ Round Edge




¼ Round Edge Top & Bottom.



Half Bullnose Edge.



Demi Bullnose Edge




Full Bullnose Edge

BELGIUM TRUFFLE – **TILES**



BELGIUM TRUFFLE – **SLABS**





Coral Gems